



## Bearing No. 7319B

D	200 mm
d	95 mm
B	45 mm
C	45 mm
a	84.4 mm
Cu	6.35
Cr	209
f0	-
C0r	149
Noun	Bearing
Bore	3.74 Inch   95 Millimeter
a(mm)	84.4
Width	1.772 Inch   45 Millimeter
Weight	6.12 Kg
r min.	3 mm
UNSPSC	31171531
r(min)	3
da(min)	109
r1 min.	1.1 mm
Da max.	186 mm
r1(min)	1.1
ra max.	2.5 mm
Da(max)	186
ra(max)	2.5
da min.	109 mm
Category	Angular Contact Ball Bearing
Oil lub.	3200
Inventory	0.0
Enclosure	Open

Size (mm)	95x200x45
Snap Ring	No
Width (mm)	45
Grease lub.	2400
Bearing No.	7319B
Flush Ground	No
Contact Angle	40 Degree
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7319B
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	6.12
Outside Diameter	7.874 Inch   200 Millimeter
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Long Description	95MM Bore; 200MM Outside Diameter; 45MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	95
Outer Diameter (mm)	200

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	3000 r/min
Maximum Capacity / Filling Slot	No