



Bearing No. 6213N

a	4,06 mm
b	3,1 mm
d	65 mm
D	120 mm
B	23 mm
C	23 mm
Cz	2,9 mm
Dx	131,5 mm
D1	115,21 mm
Cy	6,5 mm
rn	0,5 mm
Noun	Bearing
Bore	2.559 Inch 65 Millimeter
r min.	1,5 mm
UNSPSC	31171504
Weight	0,99 Kg
da max	80,5 mm
r0 max.	0,6 mm
da min.	73 mm
Da max.	112 mm
ra max.	1,5 mm
Category	Single Row Ball Bearing
Enclosure	Open
Size (mm)	65x120x23
Inventory	0.0
Snap Ring	Yes
Width (mm)	23
Weight / LBS	2.1847
Inch - Metric	Metric

Cage Material	Steel
Product Group	B00308
Keyword String	Ball
Other Features	Deep Groove With Snap Ring Groove
Bearing number	6213N
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	65MM Bore; 120MM Outside Diameter; 23MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outside Diameter	4.724 Inch 120 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.906 Inch 23 Millimeter
Weight / Kilogram	0.207
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	65
Outer Diameter (mm)	120
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	6 500 r/min
Internal Special Features	No
(Grease) Lubrication Speed	5 500 r/min

Basic static load rating (C0)	40 kN
Basic dynamic load rating (C)	57,5 kN
Maximum Capacity / Filling Slot	No