



Bearing No. F-694

C	4,000 mm
d	4,000 mm
D	11,000 mm
B	4,000 mm
f0	13.7
Mass	0.002 kg
Bore	0.157 Inch 4 Millimeter
Noun	Bearing
Da max	9.8 mm
ra max	0.15 mm
UNSPSC	31171504
da min	5.2 mm
rs min	0.15 mm
Category	Single Row Ball Bearing
Snap Ring	No
Size (mm)	4x11x4
Inventory	0.0
Enclosure	Open
Nlim (oil)	52,000 rpm
Width (mm)	4,000
Cage Material	Stainless Steel
Nlim (grease)	45,000 rpm
Inch - Metric	Metric
Product Group	B00308
Keyword String	Ball
Other Features	Deep Groove Stainless Steel Ring and Ball
Bearing number	F-694
Static load, C0	0.28 kN
Precision Class	ABEC 1 ISO P0

Rolling Element	Ball Bearing
Dynamic load, C	0.72 kN
Outer Race Width	0.157 Inch 4 Millimeter
Outside Diameter	0.433 Inch 11 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Long Description	4MM Bore; 11MM Outside Diameter; 4MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stainless Steel C
Weight / Kilogram	0.001
Manufacturer Name	NTN
Bore Diameter (mm)	4,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	11,000
Minimum Buy Quantity	N/A
Fatigue limit load, Cu	0.01 kN
Harmonized Tariff Code	8482.10.50.68
Radial clearance class	CN
Internal Special Features	No
Min operating temperature, Tmin	-20 °C
Max operating temperature, Tmax	120 °C
Maximum Capacity / Filling Slot	No