



Bearing No. 7311B

a	51.8 mm
d	55 mm
D	120 mm
B	29 mm
C	29 mm
Cr	98.4
f0	-
Cu	3.70
C0r	56.7
Noun	Bearing
Bore	2.165 Inch 55 Millimeter
Width	1.142 Inch 29 Millimeter
a(mm)	51.8
UNSPSC	31171531
r(min)	2
r min.	2 mm
Weight	1.45 Kg
da min.	65 mm
ra(max)	2
ra max.	2 mm
r1 min.	1 mm
Da max.	110 mm
da(min)	65
r1(min)	1
Da(max)	110
Category	Angular Contact Ball Bearing
Oil lub.	5300
Snap Ring	No

Enclosure	Open
Size (mm)	55x120x29
Inventory	0.0
Width (mm)	29
Bearing No.	7311B
Grease lub.	4000
Flush Ground	No
Contact Angle	40 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7311B
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	1.45
Outside Diameter	4.724 Inch 120 Millimeter
Manufacturer URL	http://www.koyousa.com
Long Description	55MM Bore; 120MM Outside Diameter; 29MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	55

Outer Diameter (mm)	120
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	5000 r/min
Maximum Capacity / Filling Slot	No