



Bearing No. 6217-2Z/VA208

D	150 mm
d	85 mm
B	28 mm
C	28 mm
d1	106 mm
D2	135 mm
Bore	3.346 Inch 85 Millimeter
Noun	Bearing
Weight	1,8 Kg
UNSPSC	31171504
r1 min.	2 mm
r2 min.	2 mm
Category	Single Row Ball Bearing
Enclosure	2 Metal Shields
Inventory	0.0
Snap Ring	No
Size (mm)	85x150x28
Width (mm)	28
Weight / LBS	1.9
Mass bearing	1.88 kg
Temperature -	150 to +350 °
Product Group	B00308
Inch - Metric	Metric
Cage Material	Graphite
Keyword String	Ball
Limiting speed	30 r/min
Other Features	Deep Groove Extreme Temperature Variant
Bearing number	6217-2Z/VA208
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.skf.com
Outside Diameter	5.906 Inch 150 Millimeter
Outer Race Width	1.102 Inch 28 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	85MM Bore; 150MM Outside Diameter; 28MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Segmented Cage Internal Special Features; C0-Medium Internal CI
Manufacturer Name	SKF
Weight / Kilogram	1.913
D _a max.	139 mm
Bore Diameter (mm)	85
Internal Clearance	C0-Medium
r _a max.	2 mm
d _a min.	96 mm
d _a max.	105.9 mm
Outer Diameter (mm)	150
Minimum Buy Quantity	N/A
r _{1,2} min.	2 mm
D ₂ ?	134.3 mm
d ₁ ?	106.05 mm
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	Segmented Cage
Basic dynamic load rating C	87.1 kN

Limiting temperature T max.	350 °C
Basic static load rating (C0)	64 kN
Maximum Capacity / Filling Slot	No
Basic static load rating C ₀	64 kN