



Bearing No. 6217ZZNR

D	150,000 mm
C	28,000 mm
B	28,000 mm
d	85,000 mm
Bore	3.346 Inch 85 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	62
Category	Single Row Ball Bearing
Size (mm)	85x150x28
Enclosure	2 Metal Shields
Snap Ring	Yes
Inventory	0.0
Width (mm)	28,000
bore type:	Round
maximum rpm:	5000 RPM
Weight / LBS	3.95
Cage Material	Steel
closure type:	Double Shielded
Product Group	B00308
Inch - Metric	Metric
Bearing number	6217ZZNR
bore diameter:	85 mm
overall width:	28 mm
fillet radius:	2 mm
cage material:	Steel
Keyword String	Ball
Rolling Element	Ball Bearing
finish/coating:	Uncoated

Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Long Description	85MM Bore; 150MM Outside Diameter; 28MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Outer Race Width	1.102 Inch 28 Millimeter
Outside Diameter	5.906 Inch 150 Millimeter
Weight / Kilogram	1.791
outer ring width:	28 mm
inner ring width:	28 mm
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
outside diameter:	150 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	85,000
Internal Clearance	C3-Loose
Outer Diameter (mm)	150,000
snap ring included:	With Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
static load capacity:	64000 N
maximum rpm (grease):	4200 rpm
dynamic load capacity:	83500 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item	6217ZZNR/2A

Number	
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No