



## Bearing No. 7307B

D	80 mm
d	35 mm
B	21 mm
C	21 mm
a	35.0 mm
Cu	1.60
Cr	45.8
f0	-
C0r	24.3
Noun	Bearing
Bore	1.378 Inch   35 Millimeter
Width	0.827 Inch   21 Millimeter
a(mm)	35.0
UNSPSC	31171531
r(min)	1.5
Weight	0.475 Kg
r min.	1.5 mm
ra max.	1.5 mm
Da(max)	71.5
ra(max)	1.5
Da max.	71.5 mm
da min.	43.5 mm
r1 min.	1 mm
da(min)	43.5
r1(min)	1
Category	Angular Contact Ball Bearing
Oil lub.	8000
Snap Ring	No

Enclosure	Open
Size (mm)	35x80x21
Inventory	0.0
Width (mm)	21
Bearing No.	7307B
Grease lub.	6100
Flush Ground	No
Contact Angle	40 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7307B
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	0.475
Outside Diameter	3.15 Inch   80 Millimeter
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Long Description	35MM Bore; 80MM Outside Diameter; 21MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	35
Outer Diameter (mm)	80

Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	7700 r/min
Maximum Capacity / Filling Slot	No