



### Bearing No. NJ2224EM

S	2 mm
D	215 mm
r	2.1
C	58 mm
B	58 mm
d	120 mm
Fw	143,5 mm
D_	215
rb	2
B_	58
ra	2
C0	620
r1	2.1
da	131
Z_	17
DE_	195.5
DA_	26
DI_	143.5
mass	9.54
SDM_	169.5
SBRG	22
yobi	NJ2224EM
KBRG	4155
LangID	1
r min.	2,1 mm
db max	140
dd min	156
Db max	204 mm
ALPHA_	0
db min	131 mm

C_conv	450000
Weight	9,51 Kg
dc min	146
TSR rpm	3600
D_a max	204
GRS rpm	2600
hidYobi	NJ2224EM
Oil rpm	3200
ra max.	2 mm
r1 min.	2,1 mm
da min.	131 mm
Da max.	204 mm
db max.	140 mm
rb max.	2 mm
Category	Roller Bearings
hidTable	ecat_NSCLDR
Macha rpm	4800
Size (mm)	120x215x58
Inventory	0.0
Width (mm)	58
Prod_Type3	CRB_SR_NJ
Product Group	B04144
Bearing number	NJ2224EM
Manufacturer Name	NSK
Weight / Kilogram	9.5
Bore Diameter (mm)	120
Outer Diameter (mm)	215
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2600 r/min
Basic dynamic load rating (C)	450 kN
Basic static load rating	620 kN

(C0)	
------	--