



Bearing No. 6226

D	230 mm
d	130 mm
B	40 mm
C	40 mm
Noun	Bearing
Bore	5.118 Inch 130 Millimeter
Width	40 mm
UNSPSC	31171504
r min.	3 mm
Weight	5.82 Kg
da min.	144 mm
Da max.	216 mm
ra max.	2.5 mm
Category	Single Row Ball Bearing
ra (max)	2.5 mm
da (min)	144 mm
Da (max)	216 mm
Bore Size	130 mm
Factor fo	14.5
Inventory	0.0
Bore Type	Cylindrical Bore
Enclosure	Open
Snap Ring	No
Size (mm)	130x230x40
Width (mm)	40
Inch - Metric	Metric
Configuration	Single Row
Product Group	B00308
Cage Material	Steel

Keyword String	Ball
Other Features	Deep Groove
Bearing number	6226
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Long Description	130MM Bore; 230MM Outside Diameter; 40MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Inner Race Width	0 Inch 0 Millimeter
Radial Clearance	0.018 to 0.048 mm
Outer Race Width	1.575 Inch 40 Millimeter
Manufacturer URL	http://www.nachiamerica.com
Outside Diameter	9.055 Inch 230 Millimeter
Manufacturer Name	NACHI
Weight / Kilogram	0
Internal Clearance	C0-Medium
Static Load Rating	146,000 N
Bore Diameter (mm)	130
Dynamic Load Rating	167,000 N
Outer Diameter (mm)	230
Minimum Buy Quantity	N/A
Limiting Speed - Oil	3,200 rpm
Fillet Radius/Chamfer	3 mm
Harmonized Tariff Code	8482.10.50.68
Limiting Speed - Grease	2,700 rpm
Internal Special	No

Features	
(Grease) Lubrication Speed	2600 r/min
Basic static load rating (C0)	146 kN
Basic dynamic load rating (C)	167 kN
Maximum Capacity / Filling Slot	No