



Bearing No. 6226Z

D	230,000 mm
d	130,000 mm
B	40,000 mm
C	40,000 mm
Noun	Bearing
Bore	5.118 Inch 130 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Enclosure	1 Metal Shield
Size (mm)	130x230x40
Snap Ring	No
Inventory	0.0
bore type:	Round
Width (mm)	40,000
Product Group	B00308
closure type:	Single Shield
Cage Material	Steel
Inch - Metric	Metric
overall width:	40 mm
Other Features	Deep Groove
bore diameter:	130 mm
cage material:	Steel
Keyword String	Ball
fillet radius:	3 mm
Bearing number	6226Z
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Long Description	130MM Bore; 230MM Outside Diameter;

	40MM Outer Race Width; 1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Ste
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	1.575 Inch 40 Millimeter
Outside Diameter	9.055 Inch 230 Millimeter
outer ring width:	40 mm
inner ring width:	40 mm
Manufacturer Name	NTN
Weight / Kilogram	5.885
bearing material:	High Carbon Chrome Steel
outside diameter:	230 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	130,000
Internal Clearance	C0-Medium
maximum rpm (oil):	3100 rpm
snap ring included:	Without Snap Ring
Outer Diameter (mm)	230,000
internal clearance:	CN
Minimum Buy Quantity	N/A
maximum rpm (grease):	2700 rpm
static load capacity:	146000 N
row type & fill slot:	Single Row Non-Fill Slot
dynamic load capacity:	167000 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item	6226Z

Number	
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No