



Bearing No. 6230

D	270 mm
d	150 mm
B	45 mm
C	45 mm
f0	15.1
Cu	9.05
Cr	220
C0r	168
Bore	5.906 Inch 150 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	9,41 Kg
r(min)	3
r min.	3 mm
da min.	163 mm
ra(max)	2.5
Da max.	257 mm
Da(max)	257
da(min)	163
ra max.	2,5 mm
Category	Single Row Ball Bearing
Oil lub.	2700
Inventory	0.0
Enclosure	Open
Size (mm)	150x270x45
Snap Ring	No
Width (mm)	45
Grease lub.	2200
Bearing No.	6230

Weight / LBS	23.805
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6230
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	150MM Bore; 270MM Outside Diameter; 45MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	10.63 Inch 270 Millimeter
Outer Race Width	1.772 Inch 45 Millimeter
(Refer.)Mass(kg)	9.41
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	10.81
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	150
Outer Diameter (mm)	270
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	2700 r/min
Manufacturer Item Number	6230
Internal Special Features	No
(Grease) Lubrication Speed	2200 r/min

Basic static load rating (C0)	168 kN
Basic dynamic load rating (C)	176 kN
Maximum Capacity / Filling Slot	No