



Bearing No. 6238

D	340 mm
d	190 mm
B	55 mm
C	55 mm
r	4
Z_	11
B_	55
ra	3
C0	282
fo	15
D_	340
D_a	324
DE_	306.275
DA_	41.275
SRI	21.36
DI_	223.725
SRE	21.36
SREN	-0.08
Bore	7.48 Inch 190 Millimeter
mass	22.3
SBRG	2
Noun	Bearing
SRIX	0.08
KBRG	6101
SRIN	-0.08
SREX	0.08
SDM_	265
bomp	0
yobi	6238

LangID	1
da min	206
UNSPSC	31171504
Weight	22,3 Kg
C_conv	255000
da max	236
ALPHA_	0
r min.	4 mm
da min.	215 mm
Oil rpm	2000
Da max.	317 mm
ra max.	3 mm
GRS rpm	1600
hidYobi	6238
hidTable	ecat_NSRDGB
Category	Single Row Ball Bearing
Size (mm)	190x340x55
Snap Ring	No
Enclosure	Open
Inventory	0.0
Width (mm)	55
Prod_Type3	DGBB_SR_OT
Weight / LBS	49.1715
Inch - Metric	Metric
Product Group	B00308
Cage Material	Steel
Bearing number	6238
Keyword String	Ball
Other Features	Deep Groove
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	190MM Bore; 340MM Outside Diameter;

	55MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outside Diameter	13.386 Inch 340 Millimeter
Manufacturer URL	http://www.nskamericas.com
Outer Race Width	2.165 Inch 55 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Weight / Kilogram	20
Manufacturer Name	NSK
Internal Clearance	C0-Medium
Bore Diameter (mm)	190
Outer Diameter (mm)	340
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	No
Basic static load rating (C0)	282 kN
Basic dynamic load rating (C)	255 kN
Maximum Capacity / Filling Slot	No