



Bearing No. NJ2324EM

S	2,8 mm
D	260 mm
r	3
C	86 mm
B	86 mm
d	120 mm
Fw	154 mm
D_	260
rb	2.5
B_	86
ra	2.5
C0	1030
r1	3
da	133
Z_	13
DE_	230
DA_	38
DI_	154
mass	23.9
SDM_	192
SBRG	23
yobi	NJ2324EM
KBRG	4155
LangID	1
r min.	3 mm
db max	150
dd min	171
Db max	247 mm
ALPHA_	0
db min	133 mm

C_conv	795000
Weight	25 Kg
dc min	156
TSR rpm	2600
D_a max	247
GRS rpm	2000
hidYobi	NJ2324EM
Oil rpm	2600
ra max.	2,5 mm
r1 min.	3 mm
da min.	133 mm
Da max.	247 mm
db max.	150 mm
rb max.	2,5 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	4300
Size (mm)	120x260x86
Inventory	0.0
Width (mm)	86
Prod_Type3	CRB_SR_NJ
Product Group	B04144
Bearing number	NJ2324EM
Manufacturer Name	NSK
Weight / Kilogram	24
Bore Diameter (mm)	120
Outer Diameter (mm)	260
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2000 r/min
Basic dynamic load rating (C)	795 kN
Basic static load rating	36,555 kN

(C0)	
------	--