



Bearing No. 629X50LLB

D	26,000 mm
d	9,000 mm
B	8,000 mm
C	8,000 mm
Noun	Bearing
Bore	0.354 Inch 9 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Enclosure	2 Seals
Size (mm)	9x26x8
Inventory	0.0
Snap Ring	No
bore type:	Round
Width (mm)	8,000
Cage Material	Steel
Product Group	B00308
Inch - Metric	Metric
closure type:	Double Sealed
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal
Enclosure Type	Non-Contact Seal
Bearing number	629X50LLB
fillet radius:	0.6 mm
bore diameter:	9 mm
overall width:	8 mm
cage material:	Steel
Keyword String	Ball
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
finish/coating:	Uncoated

Outer Race Width	0.315 Inch 8 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	9MM Bore; 26MM Outside Diameter; 8MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage; No
Outside Diameter	1.024 Inch 26 Millimeter
Manufacturer URL	http://www.ntnamerica.com
outer ring width:	8 mm
inner ring width:	8 mm
outside diameter:	26 mm
precision rating:	ISO Class 0
Weight / Kilogram	0.019
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Bore Diameter (mm)	9,000
Internal Clearance	C0-Medium
snap ring included:	Without Snap Ring
internal clearance:	CN
Outer Diameter (mm)	26,000
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
static load capacity:	1960 N
maximum rpm (grease):	30000 rpm
dynamic load capacity:	4550 N
Harmonized Tariff Code	8482.10.50.68

Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No