



VA201



ZZ/VA201



ZZ/VA208



ZZ/VA228

Bearing No. 6303/VA201

D	47 mm
d	17 mm
B	14 mm
C	14 mm
d1	26,5 mm
D2	39,6 mm
Bore	0.669 Inch 17 Millimeter
Noun	Bearing
Weight	0,11 Kg
UNSPSC	31171504
r1 min.	1 mm
r2 min.	1 mm
Category	Single Row Ball Bearing
Enclosure	Open
Inventory	0.0
Snap Ring	No
Size (mm)	17x47x14
Width (mm)	14
Weight / LBS	0.11
Mass bearing	0.11 kg
Temperature -	30 to +250 °
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
Keyword String	Ball
Limiting speed	280 r/min
Other Features	Deep Groove Extreme Temperature Variant
Bearing number	6303/VA201
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Outside Diameter	1.85 Inch 47 Millimeter
Long Description	17MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Features; C0-M
Manufacturer URL	http://www.skf.com
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
Weight / Kilogram	0
Manufacturer Name	SKF
Bore Diameter (mm)	17
r _a max.	1 mm
D _a max.	41.4 mm
d _a min.	22.6 mm
Internal Clearance	C0-Medium
Outer Diameter (mm)	47
r _{1,2} min.	1 mm
Minimum Buy Quantity	N/A
d ₁ ?	26.52 mm
D ₂ ?	39.58 mm
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Basic dynamic load rating C	14.3 kN
Limiting temperature T max.	250 °C

Basic static load rating (C0)	6,55 kN
Maximum Capacity / Filling Slot	No
Basic static load rating C ₀	6.55 kN