



Bearing No. 88503

C	16,601 mm
d	17,000 mm
B	16,601 mm
D	40,000 mm
Bore	0.669 Inch 17 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	88
Category	Single Row Ball Bearing
Size (mm)	17x40x16.601
Inventory	0.0
Enclosure	2 Seals
Snap Ring	No
Width (mm)	16,601
bore type:	Round
Weight / LBS	0.166
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
closure type:	Double Sealed
bore diameter:	17 mm
overall width:	16.601 mm
Keyword String	Ball
fillet radius:	0.6 mm
cage material:	Steel
Bearing number	88503
Other Features	Deep Groove Felt Seal Shell Alvania Prelubricated
Enclosure Type	Contact Seal

finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0.654 Inch 16.6 Millimeter
Outer Race Width	0.472 Inch 12 Millimeter
Outside Diameter	1.575 Inch 40 Millimeter
Long Description	17MM Bore; 40MM Outside Diameter; 12MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Extended Inner Ring Internal Special Features; C0-Medium Internal Cleara
outer ring width:	12 mm
inner ring width:	16.601 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	40 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	17,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	40,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot

maximum rpm (grease):	12000 rpm
static load capacity:	4600 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	9600 N
Internal Special Features	Extended Inner Ring
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No