



Bearing No. 88504

C	17,750 mm
d	20,000 mm
B	17,750 mm
D	47,000 mm
Bore	0.787 Inch 20 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	88
Category	Single Row Ball Bearing
Size (mm)	20x47x17.750
Inventory	0.0
Enclosure	2 Seals
Snap Ring	No
Width (mm)	17,750
bore type:	Round
Weight / LBS	0.259
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
closure type:	Double Sealed
bore diameter:	20 mm
overall width:	17.75 mm
Keyword String	Ball
fillet radius:	1 mm
cage material:	Steel
Bearing number	88504
Other Features	Deep Groove Felt Seal Shell Alvania Prelubricated
Enclosure Type	Contact Seal

finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0.701 Inch 17.8 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
Outside Diameter	1.85 Inch 47 Millimeter
Long Description	20MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Extended Inner Ring Internal Special Features; C0-Medium Internal Clearance
outer ring width:	14 mm
inner ring width:	17.75 mm
Manufacturer Name	NTN
Weight / US pound	0.01
bearing material:	High Carbon Chrome Steel
outside diameter:	47 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	20,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	47,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot

maximum rpm (grease):	10000 rpm
static load capacity:	6650 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	12900 N
Internal Special Features	Extended Inner Ring
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No