



Bearing No. 87506

C	20,000 mm
d	30,000 mm
B	20,000 mm
D	62,000 mm
Bore	1.181 Inch 30 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	87
Category	Single Row Ball Bearing
Size (mm)	30x62x20
Inventory	0.0
Enclosure	1 Seal-1 Metal Shield
Snap Ring	No
Width (mm)	20,000
bore type:	Round
Weight / LBS	0.506
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00234
closure type:	One Seal/One Shield
bore diameter:	30 mm
overall width:	20 mm
Keyword String	Ball
fillet radius:	1 mm
cage material:	Steel
Bearing number	87506
Other Features	Deep Groove Felt Seal
Enclosure Type	Contact Seal
finish/coating:	Uncoated

Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Long Description	30MM Bore; 62MM Outside Diameter; 16MM Outer Race Width; 1 Seal-1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Wide Inner Ring Internal Special Features; C0-Medium Inter
Outer Race Width	0.63 Inch 16 Millimeter
Inner Race Width	0.787 Inch 20 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
Manufacturer Name	NTN
Weight / Kilogram	0.245
bearing material:	High Carbon Chrome Steel
precision rating:	ISO Class 0
outside diameter:	62 mm
outer ring width:	16 mm
inner ring width:	19 mm
Internal Clearance	C0-Medium
Bore Diameter (mm)	30,000
internal clearance:	CN
Outer Diameter (mm)	62,000
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	7300 rpm

static load capacity:	10900 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	19600 N
Manufacturer Item Number	87506
Internal Special Features	Wide Inner Ring
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No