



Bearing No. 6305LLBNR

D	62,000 mm
d	25,000 mm
B	17,000 mm
C	17,000 mm
Bore	0.984 Inch 25 Millimeter
Noun	Bearing
UNSPSC	31171504
Category	Single Row Ball Bearing
Size (mm)	25x62x17
Inventory	0.0
Snap Ring	Yes
Enclosure	2 Seals
bore type:	Round
Width (mm)	17,000
Weight / LBS	0.511
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
closure type:	Double Sealed
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal With Snap Ring Shell Alvania Prelubricated
bore diameter:	25 mm
overall width:	17 mm
cage material:	Steel
fillet radius:	1.1 mm
Bearing number	6305LLBNR
Keyword String	Ball
Enclosure Type	Non-Contact Seal

Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
finish/coating:	Uncoated
Long Description	25MM Bore; 62MM Outside Diameter; 17MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	2.441 Inch 62 Millimeter
Outer Race Width	0.669 Inch 17 Millimeter
Inner Race Width	0 Inch 0 Millimeter
precision rating:	ISO Class 0
outer ring width:	17 mm
inner ring width:	17 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0.239
outside diameter:	62 mm
Bore Diameter (mm)	25,000
Internal Clearance	C3-Loose
Outer Diameter (mm)	62,000
snap ring included:	With Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
maximum rpm (grease):	12000 rpm
static load capacity:	10900 N
row type & fill slot:	Single Row Non-Fill Slot

dynamic load capacity:	21200 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6305LLBNR
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No