



Bearing No. 6305LLUNR

D	62,000 mm
C	17,000 mm
B	17,000 mm
d	25,000 mm
Noun	Bearing
Bore	0.984 Inch 25 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Enclosure	2 Seals
Snap Ring	Yes
Inventory	0.0
Size (mm)	25x62x17
Width (mm)	17,000
bore type:	Round
Weight / LBS	0.511
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
closure type:	Double Sealed
overall width:	17 mm
cage material:	Steel
bore diameter:	25 mm
fillet radius:	1.1 mm
Keyword String	Ball
Bearing number	6305LLUNR
Enclosure Type	Contact Seal
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
finish/coating:	Uncoated

Long Description	25MM Bore; 62MM Outside Diameter; 17MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	2.441 Inch 62 Millimeter
Outer Race Width	0.669 Inch 17 Millimeter
precision rating:	ISO Class 0
outer ring width:	17 mm
inner ring width:	17 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0.236
outside diameter:	62 mm
Bore Diameter (mm)	25,000
Internal Clearance	C3-Loose
Outer Diameter (mm)	62,000
snap ring included:	With Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
static load capacity:	10900 N
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	8100 rpm
dynamic load capacity:	21200 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6305LLUNR/2A
Internal Special	No

Features	
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No