



Bearing No. 6926

D	180 mm
d	130 mm
B	24 mm
C	24 mm
f0	16.3
Cu	3.00
Cr	86.9
C0r	67.4
Bore	5.118 Inch 130 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	1,86 Kg
r(min)	1.5
r min.	1,5 mm
da min.	138 mm
ra(max)	1.5
Da max.	172 mm
Da(max)	172
da(min)	138
ra max.	1,5 mm
Category	Single Row Ball Bearing
Oil lub.	4100
Inventory	0.0
Enclosure	Open
Size (mm)	130x180x24
Snap Ring	No
Width (mm)	24
Grease lub.	3400
Bearing No.	6926

Weight / LBS	4.429
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6926
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	0.945 Inch 24 Millimeter
Long Description	130MM Bore; 180MM Outside Diameter; 24MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	7.087 Inch 180 Millimeter
(Refer.)Mass(kg)	1.86
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	2.009
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	130
Outer Diameter (mm)	180
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	4100 r/min
Manufacturer Item Number	6926
Internal Special Features	No
(Grease) Lubrication Speed	3400 r/min

Basic static load rating (C0)	67,4 kN
Basic dynamic load rating (C)	65,2 kN
Maximum Capacity / Filling Slot	No