



### Bearing No. 6919

D	130 mm
d	95 mm
B	18 mm
C	18 mm
f0	16.6
Cu	1.65
Cr	42.1
C0r	33.5
Bore	3.74 Inch   95 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,705 Kg
r(min)	1.1
r min.	1,1 mm
da min.	101,5 mm
ra(max)	1
Da max.	123,5 mm
Da(max)	123.5
da(min)	101.5
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	5700
Inventory	0.0
Enclosure	Open
Size (mm)	95x130x18
Snap Ring	No
Width (mm)	18
Grease lub.	4800
Bearing No.	6919
Weight / LBS	1.407

Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6919
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Outside Diameter	5.118 Inch   130 Millimeter
Long Description	95MM Bore; 130MM Outside Diameter; 18MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.709 Inch   18 Millimeter
(Refer.)Mass(kg)	0.705
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.638
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	95
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5700 r/min
Manufacturer Item Number	6919
Internal Special Features	No
(Grease) Lubrication Speed	4800 r/min
Basic static load rating	33,5 kN

(C0)	
Basic dynamic load rating (C)	33,7 kN
Maximum Capacity / Filling Slot	No