



### Bearing No. 6917

D	120 mm
d	85 mm
B	18 mm
C	18 mm
f0	16.4
Cu	1.55
Cr	39.9
C0r	29.6
Bore	3.346 Inch   85 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,535 Kg
r(min)	1.1
r min.	1,1 mm
da min.	91,5 mm
ra(max)	1
Da max.	113,5 mm
Da(max)	113.5
da(min)	91.5
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	6300
Inventory	0.0
Enclosure	Open
Size (mm)	85x120x18
Snap Ring	No
Width (mm)	18
Grease lub.	5300
Bearing No.	6917

Weight / LBS	1.274
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6917
Precision Class	ABEC 1   ISO P0
Rolling Element	Ball Bearing
Outer Race Width	0.709 Inch   18 Millimeter
Long Description	85MM Bore; 120MM Outside Diameter; 18MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	4.724 Inch   120 Millimeter
(Refer.)Mass(kg)	0.535
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Weight / Kilogram	0.578
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	85
Outer Diameter (mm)	120
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	6300 r/min
Manufacturer Item Number	6917
Internal Special Features	No
(Grease) Lubrication Speed	5300 r/min

Basic static load rating (C0)	29,6 kN
Basic dynamic load rating (C)	31,9 kN
Maximum Capacity / Filling Slot	No