



Bearing No. 6915

D	105 mm
d	75 mm
B	16 mm
C	16 mm
f0	16.5
Cu	1.20
Cr	30.5
C0r	22.6
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,363 Kg
r(min)	1
r min.	1 mm
da min.	80 mm
ra(max)	1
Da max.	100 mm
Da(max)	100
da(min)	80
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	7200
Inventory	0.0
Enclosure	Open
Size (mm)	75x105x16
Snap Ring	No
Width (mm)	16
Grease lub.	6100
Bearing No.	6915

Weight / LBS	0.833
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6915
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	75MM Bore; 105MM Outside Diameter; 16MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.63 Inch 16 Millimeter
Outside Diameter	4.134 Inch 105 Millimeter
(Refer.)Mass(kg)	0.363
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.378
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	75
Outer Diameter (mm)	105
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	7200 r/min
Manufacturer Item Number	6915
Internal Special Features	No
(Grease) Lubrication Speed	6100 r/min
Basic static load rating	22,6 kN

(C0)	
Basic dynamic load rating (C)	24,4 kN
Maximum Capacity / Filling Slot	No