



Bearing No. 6913

D	90 mm
d	65 mm
B	13 mm
C	13 mm
f0	16.6
Cu	0.830
Cr	21.7
C0r	16.1
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,211 Kg
r(min)	1
r min.	1 mm
da min.	70 mm
ra(max)	1
Da max.	85 mm
Da(max)	85
da(min)	70
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	8400
Inventory	0.0
Enclosure	Open
Size (mm)	65x90x13
Snap Ring	No
Width (mm)	13
Grease lub.	7100
Bearing No.	6913

Weight / LBS	0.502
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6913
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	65MM Bore; 90MM Outside Diameter; 13MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.512 Inch 13 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
(Refer.)Mass(kg)	0.211
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.228
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	65
Outer Diameter (mm)	90
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	8400 r/min
Manufacturer Item Number	6913
Internal Special Features	No
(Grease) Lubrication Speed	7100 r/min

Basic static load rating (C0)	16,1 kN
Basic dynamic load rating (C)	17,4 kN
Maximum Capacity / Filling Slot	No