



Bearing No. 6313

D	140 mm
d	65 mm
B	33 mm
C	33 mm
f0	13.2
Cu	4.50
Cr	116
C0r	59.9
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	2,08 Kg
r(min)	2.1
r min.	2,1 mm
da min.	76 mm
ra(max)	2
Da max.	129 mm
Da(max)	129
da(min)	76
ra max.	2 mm
Category	Single Row Ball Bearing
Oil lub.	5800
Inventory	0.0
Enclosure	Open
Size (mm)	65x140x33
Snap Ring	No
Width (mm)	33
Grease lub.	4800
Bearing No.	6313

Weight / LBS	4.99
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6313
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	65MM Bore; 140MM Outside Diameter; 33MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	5.512 Inch 140 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
(Refer.)Mass(kg)	2.08
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	2.265
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	65
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5800 r/min
Manufacturer Item Number	6313
Internal Special Features	No
(Grease) Lubrication Speed	4800 r/min

Basic static load rating (C0)	59,9 kN
Basic dynamic load rating (C)	92,7 kN
Maximum Capacity / Filling Slot	No