



Bearing No. 6313-2Z/VA201

D	140 mm
d	65 mm
B	33 mm
C	33 mm
d1	88,3 mm
D2	122 mm
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
Weight	2,1 Kg
UNSPSC	31171504
r1 min.	2,1 mm
r2 min.	2,1 mm
Category	Single Row Ball Bearing
Enclosure	2 Metal Shields
Inventory	0.0
Snap Ring	No
Size (mm)	65x140x33
Width (mm)	33
Weight / LBS	4.885
Mass bearing	2.19 kg
Temperature -	30 to +250 °
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
Keyword String	Ball
Limiting speed	40 r/min
Other Features	Deep Groove Extreme Temperature Variant
Bearing number	6313-2Z/VA201
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.skf.com
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter
Long Description	65MM Bore; 140MM Outside Diameter; 33MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Fe
Manufacturer Name	SKF
Weight / Kilogram	0
D _a max.	128 mm
Bore Diameter (mm)	65
Internal Clearance	C0-Medium
r _a max.	2 mm
d _a min.	77 mm
d _a max.	88.3 mm
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
r _{1,2} min.	2.1 mm
D ₂ ?	121.3 mm
d ₁ ?	88.35 mm
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Basic dynamic load rating C	97.5 kN

Limiting temperature T max.	250 °C
Basic static load rating (C0)	60 kN
Maximum Capacity / Filling Slot	No
Basic static load rating C ₀	60 kN