



Bearing No. 6912

D	85 mm
d	60 mm
B	13 mm
C	13 mm
f0	16.2
Cu	0.940
Cr	25.2
C0r	17.3
Bore	2.362 Inch 60 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,192 Kg
r(min)	1
r min.	1 mm
da min.	65 mm
ra(max)	1
Da max.	80 mm
Da(max)	80
da(min)	65
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	8900
Inventory	0.0
Enclosure	Open
Size (mm)	60x85x13
Snap Ring	No
Width (mm)	13
Grease lub.	7500
Bearing No.	6912

Weight / LBS	0.457
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6912
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	0.512 Inch 13 Millimeter
Long Description	60MM Bore; 85MM Outside Diameter; 13MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	3.346 Inch 85 Millimeter
(Refer.)Mass(kg)	0.192
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.207
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	60
Outer Diameter (mm)	85
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	8900 r/min
Manufacturer Item Number	6912
Internal Special Features	No
(Grease) Lubrication Speed	7500 r/min

Basic static load rating (C0)	17,3 kN
Basic dynamic load rating (C)	20,2 kN
Maximum Capacity / Filling Slot	No