



Bearing No. 6313/VA201

D	140 mm
d	65 mm
B	33 mm
C	33 mm
d1	88,3 mm
D2	122 mm
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
Weight	2,1 Kg
UNSPSC	31171504
r1 min.	2,1 mm
r2 min.	2,1 mm
Category	Single Row Ball Bearing
Enclosure	Open
Inventory	0.0
Snap Ring	No
Size (mm)	65x140x33
Width (mm)	33
Weight / LBS	4.885
Mass bearing	2.1 kg
Temperature -	30 to +250 °
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
Keyword String	Ball
Limiting speed	80 r/min
Other Features	Deep Groove Extreme Temperature Variant
Bearing number	6313/VA201
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Outer Race Width	1.299 Inch 33 Millimeter
Long Description	65MM Bore; 140MM Outside Diameter; 33MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Features; C0-
Manufacturer URL	http://www.skf.com
Outside Diameter	5.512 Inch 140 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Weight / Kilogram	0
Manufacturer Name	SKF
Bore Diameter (mm)	65
r _a max.	2 mm
D _a max.	128 mm
d _a min.	77 mm
Internal Clearance	C0-Medium
Outer Diameter (mm)	140
r _{1,2} min.	2.1 mm
Minimum Buy Quantity	N/A
d ₁ ?	88.35 mm
D ₂ ?	121.3 mm
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Basic dynamic load rating C	97.5 kN
Limiting temperature T max.	250 °C

Basic static load rating (C0)	60 kN
Maximum Capacity / Filling Slot	No
Basic static load rating C ₀	60 kN