



Bearing No. 6313NR

f	2,77 mm
d	65 mm
D	140 mm
B	33 mm
C	33 mm
a	4,9 mm
b	3,25 mm
Cr	116
f0	13.2
Cu	4.50
D2	149,7 mm
D1	135,23 mm
C0r	59.9
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
r min.	2,1 mm
r(min)	2.1
UNSPSC	31171504
Weight	2,08 Kg
r1(min)	0.5
da(min)	76
D2(min)	149.7
Da(max)	129
rb(max)	0.5
ra(max)	2
Dx(min)	152
r0 max.	0,6 mm
r1 min.	0,5 mm
da min.	76 mm

Cy(max)	7.37
Da max.	129 mm
Category	Single Row Ball Bearing
Oil lub.	5800
Snap Ring	Yes
Size (mm)	65x140x33
Inventory	0.0
Enclosure	Open
Width (mm)	33
Grease lub.	4800
f(}0.05)	2.77
Bearing No.	6313NR
Weight / LBS	4.58561
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
Bearing number	6313NR
Other Features	Deep Groove With Snap Ring
Keyword String	Ball
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Manufacturer URL	http://www.koyousa.com
Outer Race Width	1.299 Inch 33 Millimeter
(Refer.)Mass(kg)	2.08
Long Description	65MM Bore; 140MM Outside Diameter; 33MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage

Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter
Weight / Kilogram	2.248
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	65
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5800 r/min
Internal Special Features	No
(Grease) Lubrication Speed	4800 r/min
Basic static load rating (C0)	59,9 kN
Basic dynamic load rating (C)	92,7 kN
Maximum Capacity / Filling Slot	No