



Bearing No. 6907NR

f	0,85 mm
r	0.6
d	35 mm
D	55 mm
B	10 mm
C	10 mm
a	1,7 mm
b	0,95 mm
D2	57,8 mm
B_	10
Cy	2.3
ra	0.6
C0	7.25
fo	15.5
D_	55
D1	53,7 mm
rn	0,5 mm
Z_	13
Dx	58.5
ro	0.25
DE_	50.5
DA_	6
SRI	3.1
D_a	51
SRE	3.1
DI_	38.5
SRIN	-0.015
yobi	6907NR
SBRG	19
bomp	0

SREX	0.015
KBRG	6101
SREN	-0.015
SDM_	44.5
SRIX	0.015
mass	0.075
C_conv	10600
r min.	0,6 mm
da max	39 mm
ALPHA_	0
Weight	0,075 Kg
da min	39
LangID	1
GRS rpm	12000
Da max.	51 mm
hidYobi	6907NR
Oil rpm	15000
da min.	39 mm
r0 max.	0,25 mm
ra max.	0,6 mm
hidTable	ecat_NSRDGB
Size (mm)	35x55x10
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	10
Bearing number	6907NR
Bore Diameter (mm)	35
Outer Diameter (mm)	55
(Oil) Lubrication Speed	15 000 r/min
(Grease) Lubrication Speed	12 000 r/min
Basic dynamic load rating (C)	10,6 kN
Basic static load rating	7,25 kN

(C0)	
------	--