



Bearing No. 6907

D	55 mm
d	35 mm
B	10 mm
C	10 mm
f0	15.7
Cu	0.440
Cr	13.6
C0r	7.75
Bore	1.378 Inch 35 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,073 Kg
r(min)	0.6
r min.	0,6 mm
da min.	39 mm
ra(max)	0.6
Da max.	51 mm
Da(max)	51
da(min)	39
ra max.	0,6 mm
Category	Single Row Ball Bearing
Oil lub.	14000
Inventory	0.0
Enclosure	Open
Size (mm)	35x55x10
Snap Ring	No
Width (mm)	10
Grease lub.	12000
Bearing No.	6907

Weight / LBS	0.179
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6907
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	35MM Bore; 55MM Outside Diameter; 10MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	2.165 Inch 55 Millimeter
Outer Race Width	0.394 Inch 10 Millimeter
(Refer.)Mass(kg)	0.073
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.081
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	35
Outer Diameter (mm)	55
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	14000 r/min
Manufacturer Item Number	6907
Internal Special Features	No
(Grease) Lubrication Speed	12000 r/min

Basic static load rating (C0)	7,75 kN
Basic dynamic load rating (C)	10,9 kN
Maximum Capacity / Filling Slot	No