



Bearing No. 6904

D	37 mm
d	20 mm
B	9 mm
C	9 mm
f0	14.7
Cu	0.190
Cr	7.95
C0r	3.70
Bore	0.787 Inch 20 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,036 Kg
r(min)	0.3
r min.	0,3 mm
da min.	22 mm
ra(max)	0.3
Da max.	35 mm
Da(max)	35
da(min)	22
ra max.	0,3 mm
Category	Single Row Ball Bearing
Oil lub.	23000
Inventory	0.0
Enclosure	Open
Size (mm)	20x37x9
Snap Ring	No
Width (mm)	9
Grease lub.	19000
Bearing No.	6904

Weight / LBS	0.086
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6904
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	20MM Bore; 37MM Outside Diameter; 9MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.354 Inch 9 Millimeter
Outside Diameter	1.457 Inch 37 Millimeter
(Refer.)Mass(kg)	0.036
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.039
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	20
Outer Diameter (mm)	37
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	23000 r/min
Manufacturer Item Number	6904
Internal Special Features	No
(Grease) Lubrication Speed	19000 r/min
Basic static load rating	3,7 kN

(C0)	
Basic dynamic load rating (C)	6,35 kN
Maximum Capacity / Filling Slot	No