



Bearing No. 6903

D	30 mm
d	17 mm
B	7 mm
C	7 mm
f0	14.7
Cu	0.130
Cr	5.75
C0r	2.55
Bore	0.669 Inch 17 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,018 Kg
r(min)	0.3
r min.	0,3 mm
da min.	19 mm
ra(max)	0.3
Da max.	28 mm
Da(max)	28
da(min)	19
ra max.	0,3 mm
Category	Single Row Ball Bearing
Oil lub.	28000
Inventory	0.0
Enclosure	Open
Size (mm)	17x30x7
Snap Ring	No
Width (mm)	7
Grease lub.	23000
Bearing No.	6903

Weight / LBS	0.041
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6903
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	0.276 Inch 7 Millimeter
Long Description	17MM Bore; 30MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	1.181 Inch 30 Millimeter
(Refer.)Mass(kg)	0.018
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.019
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	17
Outer Diameter (mm)	30
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	28000 r/min
Manufacturer Item Number	6903
Internal Special Features	No
(Grease) Lubrication Speed	23000 r/min
Basic static load rating	2,55 kN

(C0)	
Basic dynamic load rating (C)	4,6 kN
Maximum Capacity / Filling Slot	No