



Bearing No. 6901

D	24 mm
d	12 mm
B	6 mm
C	6 mm
r	0.3
Z_	10
D_	24
ra	0.3
C0	1.46
fo	14.5
B_	6
DI_	14.825
SRI	1.64
SRE	1.64
D_a	22
DA_	3.175
DE_	21.175
SREX	0.015
SREN	-0.015
SBRG	19
KBRG	6101
mass	0.01
Bore	0.472 Inch   12 Millimeter
SRIX	0.015
SRIN	-0.015
Noun	Bearing
yobi	6901
SDM_	18
bomp	0

Weight	0,01 Kg
C_conv	2890
LangID	1
da min	14
r min.	0,3 mm
ALPHA_	0
UNSPSC	31171504
da max	14,5 mm
ra max.	0,3 mm
Oil rpm	36000
hidYobi	6901
GRS rpm	30000
Da max.	22 mm
da min.	14 mm
Category	Single Row Ball Bearing
hidTable	ecat_NSRDGB
Size (mm)	12x24x6
Inventory	0.0
Enclosure	Open
Snap Ring	No
Prod_Type3	DGBB_SR_OT
Width (mm)	6
bore type:	Round
Weight / LBS	0.011
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
closure type:	Open
Bearing number	6901
Keyword String	Ball
overall width:	6 mm
bore diameter:	12 mm

Rolling Element	Ball Bearing
Precision Class	ABEC 1   ISO P0
Long Description	12MM Bore; 24MM Outside Diameter; 6MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	0.945 Inch   24 Millimeter
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Outer Race Width	0.236 Inch   6 Millimeter
outside diameter:	24 mm
Manufacturer Name	NSK
Weight / Kilogram	0.01
Bore Diameter (mm)	12
Internal Clearance	C0-Medium
internal clearance:	Normal Clearance
Outer Diameter (mm)	24
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	36 000 r/min
Manufacturer Item Number	6901
manufacturer upc number:	029176066672
Internal Special Features	No
(Grease) Lubrication Speed	30 000 r/min
Basic static load rating (C0)	1,46 kN
Basic dynamic load rating (C)	2,89 kN

Maximum Capacity / Filling Slot	No
------------------------------------	----