



Bearing No. 6900

D	22 mm
d	10 mm
B	6 mm
C	6 mm
f0	14.0
Cu	0.070
Cr	3.35
C0r	1.25
Bore	0.394 Inch 10 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,01 Kg
r(min)	0.3
r min.	0,3 mm
da min.	12 mm
ra(max)	0.3
Da max.	20 mm
Da(max)	20
da(min)	12
ra max.	0,3 mm
Category	Single Row Ball Bearing
Oil lub.	41000
Inventory	0.0
Enclosure	Open
Size (mm)	10x22x6
Snap Ring	No
Width (mm)	6
Grease lub.	34000
Bearing No.	6900

Weight / LBS	0.023
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6900
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	10MM Bore; 22MM Outside Diameter; 6MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	0.866 Inch 22 Millimeter
Outer Race Width	0.236 Inch 6 Millimeter
(Refer.)Mass(kg)	0.010
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.01
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	10
Outer Diameter (mm)	22
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	41000 r/min
Manufacturer Item Number	6900
Internal Special Features	No
(Grease) Lubrication Speed	34000 r/min
Basic static load rating	1,25 kN

(C0)	
Basic dynamic load rating (C)	2,7 kN
Maximum Capacity / Filling Slot	No