



Bearing No. 63202LLB

C	15,875 mm
d	15,000 mm
B	15,875 mm
D	35,000 mm
Bore	0.591 Inch 15 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	632
Category	Single Row Ball Bearing
Size (mm)	15x35x15.875
Inventory	0.0
Enclosure	2 Seals
Snap Ring	No
Width (mm)	15,875
bore type:	Round
Weight / LBS	0.134
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
closure type:	Double Sealed
bore diameter:	15 mm
overall width:	15.9 mm
Keyword String	Ball
fillet radius:	0.6 mm
cage material:	Steel
Bearing number	63202LLB
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal Shell Alvania Prelubricated

Enclosure Type	Non-Contact Seal
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.625 Inch 15.875 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	15MM Bore; 35MM Outside Diameter; 15.875MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Ca
outer ring width:	15.90 mm
inner ring width:	15.90 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	35 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	15,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	35,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot

maximum rpm (grease):	19000 rpm
static load capacity:	2390 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	5100 N
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No