



Bearing No. 63202ZZ

D	35,000 mm
d	15,000 mm
B	15,875 mm
C	15,875 mm
Noun	Bearing
Bore	0.591 Inch 15 Millimeter
UNSPSC	31171504
series:	632
Category	Single Row Ball Bearing
Snap Ring	No
Enclosure	2 Metal Shields
Size (mm)	15x35x15.875
Inventory	0.0
bore type:	Round
Width (mm)	15,875
Weight / LBS	0.134
closure type:	Double Shielded
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
overall width:	15.9 mm
bore diameter:	15 mm
fillet radius:	0.6 mm
Keyword String	Ball
cage material:	Steel
Bearing number	63202ZZ
Other Features	Deep Groove Shell Alvania Prelubricated
finish/coating:	Uncoated
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Long Description	15MM Bore; 35MM Outside Diameter; 15.875MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance;
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Outer Race Width	0.625 Inch 15.875 Millimeter
outer ring width:	15.90 mm
inner ring width:	15.90 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	35 mm
precision rating:	ISO Class 0
Internal Clearance	C0-Medium
Bore Diameter (mm)	15,000
Outer Diameter (mm)	35,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	19000 rpm
static load capacity:	2390 N
Harmonized Tariff Code	8482.10.50.68

dynamic load capacity:	5100 N
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No