



**Bearing No. 63207ZZ**

D	72,000 mm
d	35,000 mm
B	26,987 mm
C	26,987 mm
Noun	Bearing
Bore	1.378 Inch   35 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Size (mm)	35x72x26.987
Snap Ring	No
Inventory	0.0
Enclosure	2 Metal Shields
bore type:	Round
Width (mm)	26,987
Weight / LBS	0.96
Product Group	B00308
closure type:	Double Shielded
Cage Material	Steel
Inch - Metric	Metric
overall width:	27 mm
bore diameter:	35 mm
cage material:	Steel
Keyword String	Ball
fillet radius:	1.1 mm
Bearing number	63207ZZ
Other Features	Deep Groove   Cartridge Type   Shell Alvania Prelubricated
Rolling Element	Ball Bearing
Precision Class	ABEC 1   ISO P0

finish/coating:	Uncoated
Long Description	35MM Bore; 72MM Outside Diameter; 27MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Stee
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Outer Race Width	1.063 Inch   27 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	2.835 Inch   72 Millimeter
outer ring width:	22.20 mm
inner ring width:	22.20 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0.443
precision rating:	ISO Class 0
outside diameter:	72 mm
Bore Diameter (mm)	35,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	72,000
snap ring included:	Without Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	9800 rpm
static load capacity:	2390 N
Harmonized Tariff Code	8482.10.50.68

dynamic load capacity:	5100 N
Internal Special Features	No
manufacturer product page:	<a href="#">Click here</a>
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No