



Bearing No. 6321

D	225 mm
d	105 mm
B	49 mm
C	49 mm
f0	13.2
Cu	11.7
Cr	230
C0r	153
Bore	4.134 Inch 105 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	8,05 Kg
r(min)	3
r min.	3 mm
da min.	118 mm
ra(max)	2.5
Da max.	212 mm
Da(max)	212
da(min)	118
ra max.	2,5 mm
Category	Single Row Ball Bearing
Oil lub.	3500
Inventory	0.0
Enclosure	Open
Size (mm)	105x225x49
Snap Ring	No
Width (mm)	49
Grease lub.	2900
Bearing No.	6321

Weight / LBS	19.096
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6321
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	1.929 Inch 49 Millimeter
Long Description	105MM Bore; 225MM Outside Diameter; 49MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	8.858 Inch 225 Millimeter
(Refer.)Mass(kg)	8.05
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	8.67
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	105
Outer Diameter (mm)	225
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	3500 r/min
Manufacturer Item Number	6321
Internal Special Features	No
(Grease) Lubrication Speed	2900 r/min

Basic static load rating (C0)	153 kN
Basic dynamic load rating (C)	184 kN
Maximum Capacity / Filling Slot	No