



Bearing No. 6321ZZ

D	225 mm
d	105 mm
B	49 mm
C	49 mm
r	3
Z_	8
B_	49
D_	225
ra	2.5
C0	154
fo	13.2
DI_	126.9
SRI	19.72
D_a	212
DE_	203.1
DA_	38.1
SRE	19.72
SRIN	-0.065
SBRG	3
yobi	6321ZZ
SDM_	165
SREX	0.065
KBRG	6141
bomp	0
mass	8.09
SRIX	0.065
Bore	4.134 Inch 105 Millimeter
SREN	-0.065
Noun	Bearing

ALPHA_	0
da min	118
LangID	1
r min.	3 mm
UNSPSC	31171504
da max	138 mm
C_conv	184000
Weight	8,09 Kg
ra max.	2,5 mm
hidYobi	6321ZZ
GRS rpm	2600
Da max.	212 mm
da min.	118 mm
Category	Single Row Ball Bearing
hidTable	ecat_NSRDGB
Snap Ring	No
Size (mm)	105x225x49
Enclosure	2 Metal Shields
Inventory	0.0
Width (mm)	49
Prod_Type3	DGBB_SR_ZZ
Weight / LBS	17.8385
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
Bearing number	6321ZZ
Keyword String	Ball
Other Features	Deep Groove
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	8.858 Inch 225 Millimeter

Long Description	105MM Bore; 225MM Outside Diameter; 49MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; St
Manufacturer URL	http://www.nskamericas.com
Outer Race Width	1.929 Inch 49 Millimeter
Weight / Kilogram	0.231
Manufacturer Name	NSK
Internal Clearance	C0-Medium
Bore Diameter (mm)	105
Outer Diameter (mm)	225
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	No
(Grease) Lubrication Speed	2 600 r/min
Basic static load rating (C0)	154 kN
Basic dynamic load rating (C)	184 kN
Maximum Capacity / Filling Slot	No