



Bearing No. 6322

D	240 mm
d	110 mm
B	50 mm
C	50 mm
f0	13.2
Cu	13.3
Cr	257
C0r	180
Bore	4.331 Inch 110 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	9,54 Kg
r(min)	3
r min.	3 mm
da min.	123 mm
ra(max)	2.5
Da max.	227 mm
Da(max)	227
da(min)	123
ra max.	2,5 mm
Category	Single Row Ball Bearing
Oil lub.	3200
Inventory	0.0
Enclosure	Open
Size (mm)	110x240x50
Snap Ring	No
Width (mm)	50
Grease lub.	2700
Bearing No.	6322

Weight / LBS	22.195
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6322
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	1.969 Inch 50 Millimeter
Long Description	110MM Bore; 240MM Outside Diameter; 50MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	9.449 Inch 240 Millimeter
(Refer.)Mass(kg)	9.54
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	10.077
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	110
Outer Diameter (mm)	240
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	3200 r/min
Manufacturer Item Number	6322
Internal Special Features	No
(Grease) Lubrication Speed	2700 r/min

Basic static load rating (C0)	180 kN
Basic dynamic load rating (C)	205 kN
Maximum Capacity / Filling Slot	No