



Bearing No. 6326

D	280 mm
d	130 mm
B	58 mm
C	58 mm
f0	13.6
Cu	14.1
Cr	287
C0r	214
Bore	5.118 Inch 130 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	15,1 Kg
r(min)	4
r min.	4 mm
da min.	146 mm
ra(max)	3
Da max.	264 mm
Da(max)	264
da(min)	146
ra max.	3 mm
Category	Single Row Ball Bearing
Oil lub.	2700
Inventory	0.0
Enclosure	Open
Size (mm)	130x280x58
Snap Ring	No
Width (mm)	58
Grease lub.	2300
Bearing No.	6326

Weight / LBS	35.55
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6326
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	2.283 Inch 58 Millimeter
Long Description	130MM Bore; 280MM Outside Diameter; 58MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	11.024 Inch 280 Millimeter
(Refer.)Mass(kg)	15.1
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	16.14
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	130
Outer Diameter (mm)	280
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	2700 r/min
Manufacturer Item Number	6326
Internal Special Features	No
(Grease) Lubrication Speed	2300 r/min

Basic static load rating (C0)	214 kN
Basic dynamic load rating (C)	229 kN
Maximum Capacity / Filling Slot	No