



Bearing No. 6328

D	300 mm
d	140 mm
B	62 mm
C	62 mm
f0	13.6
Cu	15.6
Cr	316
C0r	246
Bore	5.512 Inch 140 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	19,4 Kg
r(min)	4
r min.	4 mm
da min.	156 mm
ra(max)	3
Da max.	284 mm
Da(max)	284
da(min)	156
ra max.	3 mm
Category	Single Row Ball Bearing
Oil lub.	2500
Inventory	0.0
Enclosure	Open
Size (mm)	140x300x62
Snap Ring	No
Width (mm)	62
Grease lub.	2100
Bearing No.	6328

Weight / LBS	42.77
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6328
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outside Diameter	11.811 Inch 300 Millimeter
Long Description	140MM Bore; 300MM Outside Diameter; 62MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	2.441 Inch 62 Millimeter
(Refer.)Mass(kg)	19.4
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	18.461
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	140
Outer Diameter (mm)	300
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	2500 r/min
Manufacturer Item Number	6328
Internal Special Features	No
(Grease) Lubrication Speed	2100 r/min

Basic static load rating (C0)	246 kN
Basic dynamic load rating (C)	253 kN
Maximum Capacity / Filling Slot	No