



Bearing No. 63307LLB

C	34,900 mm
d	35,000 mm
B	34,900 mm
D	80,000 mm
Bore	1.378 Inch 35 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	633
Category	Single Row Ball Bearing
Size (mm)	35x80x34.900
Inventory	0.0
Enclosure	2 Seals
Snap Ring	No
Width (mm)	34,900
bore type:	Round
Weight / LBS	1.64
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
closure type:	Double Sealed
bore diameter:	35 mm
overall width:	34.9 mm
Keyword String	Ball
fillet radius:	1.5 mm
cage material:	Steel
Bearing number	63307LLB
Other Features	Deep Groove Cartridge Type Non-Friction Nitrile Rubber Seal Shell Alvania Prelubricated

Enclosure Type	Non-Contact Seal
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	1.375 Inch 34.925 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	3.15 Inch 80 Millimeter
Long Description	35MM Bore; 80MM Outside Diameter; 34.925MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Ca
outer ring width:	34.90 mm
inner ring width:	34.90 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	80 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	35,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	80,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	8800 rpm

static load capacity:	19100 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	33500 N
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No