



Bearing No. 6828NR

f	1,7 mm
r	1.1
d	140 mm
D	175 mm
B	18 mm
C	18 mm
a	3,3 mm
b	1,9 mm
D2	181,5 mm
B_	18
Cy	4.7
ra	1
C0	48
fo	17.3
D_	175
D1	171,8 mm
rn	0,5 mm
Z_	26
Dx	183
ro	0.6
DE_	167.819
DA_	10.319
SRI	5.34
D_a	168.5
SRE	5.34
DI_	147.181
SRIN	-0.025
yobi	6828NR
SBRG	18
bomp	0

SREX	0.025
KBRG	6101
SREN	-0.025
SDM_	157.5
SRIX	0.025
mass	0.832
C_conv	38500
r min.	1,1 mm
da max	148,5 mm
ALPHA_	0
Weight	0,832 Kg
da min	146.5
LangID	1
GRS rpm	3400
Da max.	168,5 mm
hidYobi	6828NR
Oil rpm	4000
da min.	146,5 mm
r0 max.	0,6 mm
ra max.	1 mm
hidTable	ecat_NSRDGB
Size (mm)	140x175x18
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	18
Bearing number	6828NR
Bore Diameter (mm)	140
Outer Diameter (mm)	175
(Oil) Lubrication Speed	4 000 r/min
(Grease) Lubrication Speed	3 400 r/min
Basic dynamic load rating (C)	38,5 kN
Basic static load rating	48 kN

(C0)	
------	--