



Bearing No. 6826NR

f	1,7 mm
r	1.1
d	130 mm
D	165 mm
B	18 mm
C	18 mm
a	3,3 mm
b	1,9 mm
D2	171,5 mm
B_	18
Cy	4.7
ra	1
C0	44
fo	17.1
D_	165
D1	161,8 mm
rn	0,5 mm
Z_	24
Dx	173
ro	0.6
DE_	157.819
DA_	10.319
SRI	5.34
D_a	158.5
SRE	5.34
DI_	137.181
SRIN	-0.025
yobi	6826NR
SBRG	18
bomp	0

SREX	0.025
KBRG	6101
SREN	-0.025
SDM_	147.5
SRIX	0.025
mass	0.758
C_conv	37000
r min.	1,1 mm
da max	138 mm
ALPHA_	0
Weight	0,758 Kg
da min	136.5
LangID	1
GRS rpm	3600
Da max.	158,5 mm
hidYobi	6826NR
Oil rpm	4300
da min.	136,5 mm
r0 max.	0,6 mm
ra max.	1 mm
hidTable	ecat_NSRDGB
Size (mm)	130x165x18
Prod_Type3	DGBB_SR_NR_OT
Width (mm)	18
Bearing number	6826NR
Bore Diameter (mm)	130
Outer Diameter (mm)	165
(Oil) Lubrication Speed	4 300 r/min
(Grease) Lubrication Speed	3 600 r/min
Basic dynamic load rating (C)	37 kN
Basic static load rating	44 kN

(C0)	
------	--