



**Bearing No. 63310LLB**

D	110,000 mm
C	44,400 mm
B	44,400 mm
d	50,000 mm
Noun	Bearing
Bore	1.969 Inch   50 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Snap Ring	No
Inventory	0.0
Enclosure	2 Seals
Size (mm)	50x110x44.400
Width (mm)	44,400
bore type:	Round
Weight / LBS	3.75
closure type:	Double Sealed
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Bearing number	63310LLB
Keyword String	Ball
bore diameter:	50 mm
cage material:	Steel
overall width:	44.4 mm
Other Features	Deep Groove   Cartridge Type   Non-Friction Nitrile Rubber Seal   Shell Alvania Prelubricated
Enclosure Type	Non-Contact Seal
fillet radius:	2 mm

Precision Class	ABEC 1   ISO P0
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Long Description	50MM Bore; 110MM Outside Diameter; 44.45MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Ca
Outer Race Width	1.75 Inch   44.45 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	4.331 Inch   110 Millimeter
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
outer ring width:	44.40 mm
Weight / Kilogram	0
outside diameter:	110 mm
precision rating:	ISO Class 0
inner ring width:	44.40 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Bore Diameter (mm)	50,000
Internal Clearance	C0-Medium
snap ring included:	Without Snap Ring
internal clearance:	CN
Outer Diameter (mm)	110,000
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	6400 rpm

static load capacity:	38500 N
dynamic load capacity:	62000 N
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	No
manufacturer product page:	<a href="#">Click here</a>
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No