



**Bearing No. 63311LLB**

D	120,000 mm
C	49,200 mm
B	49,200 mm
d	55,000 mm
Noun	Bearing
Bore	2.165 Inch   55 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Snap Ring	No
Inventory	0.0
Enclosure	2 Seals
Size (mm)	55x120x49.200
Width (mm)	49,200
bore type:	Round
Weight / LBS	5.12
closure type:	Double Sealed
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Bearing number	63311LLB
Keyword String	Ball
bore diameter:	55 mm
cage material:	Steel
overall width:	49.2 mm
Other Features	Deep Groove   Cartridge Type   Non-Friction Nitrile Rubber Seal   Shell Alvania Prelubricated
Enclosure Type	Non-Contact Seal
fillet radius:	2 mm

Precision Class	ABEC 1   ISO P0
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Long Description	55MM Bore; 120MM Outside Diameter; 49.23MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Ca
Outside Diameter	4.724 Inch   120 Millimeter
Outer Race Width	1.938 Inch   49.23 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
outer ring width:	49.20 mm
Weight / Kilogram	0
outside diameter:	120 mm
precision rating:	ISO Class 0
inner ring width:	49.20 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Bore Diameter (mm)	55,000
Internal Clearance	C0-Medium
snap ring included:	Without Snap Ring
internal clearance:	CN
Outer Diameter (mm)	120,000
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	5800 rpm

static load capacity:	45000 N
dynamic load capacity:	71500 N
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	No
manufacturer product page:	<a href="#">Click here</a>
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No