



Bearing No. 63311ZZ

D	120,000 mm
d	55,000 mm
B	49,200 mm
C	49,200 mm
Noun	Bearing
Bore	2.165 Inch 55 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Size (mm)	55x120x49.200
Snap Ring	No
Inventory	0.0
Enclosure	2 Metal Shields
bore type:	Round
Width (mm)	49,200
Weight / LBS	5.12
Product Group	B00308
closure type:	Double Shielded
Cage Material	Steel
Inch - Metric	Metric
overall width:	49.2 mm
bore diameter:	55 mm
cage material:	Steel
Keyword String	Ball
fillet radius:	2 mm
Bearing number	63311ZZ
Other Features	Deep Groove Cartridge Type Shell Alvania Prelubricated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0

finish/coating:	Uncoated
Long Description	55MM Bore; 120MM Outside Diameter; 49.23MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance;
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	1.938 Inch 49.23 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	4.724 Inch 120 Millimeter
outer ring width:	49.20 mm
inner ring width:	49.20 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0
precision rating:	ISO Class 0
outside diameter:	120 mm
Bore Diameter (mm)	55,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	120,000
snap ring included:	Without Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	5800 rpm
static load capacity:	45000 N
Harmonized Tariff Code	8482.10.50.68

dynamic load capacity:	71500 N
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No